



# Declaration of Conformity

Manufacturer: **Thermoplastic Comfort Systems, Inc.**  
 2619 Lime Ave.  
 Signal Hill, CA 90755 USA  
 Telephone 562-426-2970 or 866-426-2970  
 Fax 562-426-5154  
 SRN: US-MF-000025565

Authorized EC Representative **MDSS GmbH**  
 Schiffgraben 41  
 30175 Hannover Germany  
 Tel. (+49-511-6262 8630)  
 SRN: DE-AR-000005430

Manufacturing Facility: **Thermoplastic Comfort Systems, Inc.**  
 2619 Lime Ave.  
 Signal Hill, CA 90755 USA

**Thermoplastic Comfort Systems, Inc**  
 647 E. Willow Street  
 Signal Hill, CA 90755 USA

Product Model No.: (See attachment for catalog numbers, description and UDI-DI)

Basic UDI-DI: ++D805TCSRESINSS8

Product Model Description: TCS Dental Resins


Classification: Class I per Annex VIII of the Medical Device Regulation (EU) 2017/745 (Non-sterile, Non-measuring)

Conformity Assessment Route: Annex II and III of the Medical Device Regulation (EU) 2017/745

This EU Declaration of Conformity is issued under the sole responsibility of Thermoplastics Comfort Systems, Inc.

I, the undersigned, hereby declare and authorize to certify that the Medical Device(s) specified above meets the provisions of Medical Device Regulation (EU) 2017/745 which apply to them. All supporting documentation is retained at the premises of the manufacturer.

Place: Signal Hill, CA USA Date: 01/16/2025

Name: Marilyn Posca Signature:   
 President, Thermoplastic Comfort Systems, Inc.



### TCS Dental Resins

Intended Purpose: The TCS Dental Resins are used for the manufacture and repair of removable dental prosthetics. Removable Partial Dentures and Complete Dentures including orthodontic devices, occlusal splints and night guards.

The device is intended to be used by dentists and dental laboratory technicians.

Item #	Resin	Bulk/Cartridge/Disc Size	Shade	UDI-DI
4002-01/S1	Unbreakable™ by tcs®	Cartridge - Small 25 mm dia.	Shade (1) Light Pink	+D805400201S12
4002-01/S2	Unbreakable™ by tcs®	Cartridge - Small 25 mm dia.	Shade (2) Standard Pink	+D805400201S22
4002-01/S3	Unbreakable™ by tcs®	Cartridge - Small 25 mm dia.	Shade (3) Light-Dark Pink	+D805400201S32
4002-01/S4	Unbreakable™ by tcs®	Cartridge - Small 25 mm dia.	Shade (4) Dark Pink	+D805400201S42
4002-01/SN	Unbreakable™ by tcs®	Cartridge - Small 25 mm dia.	Shade (N) Natural	+D805400201SN2
4002-01/S Custom	Unbreakable™ by tcs®	Cartridge - Small 25 mm dia.	Custom	+D805400201SCUST OM
4000-01/M1	Unbreakable™ by tcs®	Cartridge - Medium 25 mm dia.	Shade (1) Light Pink	+D805400001M12
4000-01/M2	Unbreakable™ by tcs®	Cartridge - Medium 25 mm dia.	Shade (2) Standard Pink	+D805400001M22
4000-01/M3	Unbreakable™ by tcs®	Cartridge - Medium 25 mm dia.	Shade (3) Light-Dark Pink	+D805400001M32
4000-01/M4	Unbreakable™ by tcs®	Cartridge - Medium 25 mm dia.	Shade (4) Dark Pink	+D805400001M42
4000-01/MN	Unbreakable™ by tcs®	Cartridge - Medium 25 mm dia.	Shade (N) Natural	+D805400001MN2
4000-01/M Custom	Unbreakable™ by tcs®	Cartridge - Medium 25 mm dia.	Custom	+D805400001MCUS TOM2
4005-01/L1	Unbreakable™ by tcs®	Cartridge - Large 25 mm dia.	Shade (1) Light Pink	+D805400501L12
4005-01/L2	Unbreakable™ by tcs®	Cartridge - Large 25 mm dia.	Shade (2) Standard Pink	+D805400501L22
4005-01/L3	Unbreakable™ by tcs®	Cartridge - Large 25 mm dia.	Shade (3) Light-Dark Pink	+D805400501L32
4005-01/L4	Unbreakable™ by tcs®	Cartridge - Large 25 mm dia.	Shade (4) Dark Pink	+D805400501L42
4005-01/LN	Unbreakable™ by tcs®	Cartridge - Large 25 mm dia.	Shade (N) Natural	+D805400501LN2
4005-01/L Custom	Unbreakable™ by tcs®	Cartridge - Large 25 mm dia.	Custom	+D805400501LCUST OM2
4000-01/MF1	Unbreakable™ by tcs®	Cartridge - Medium 28 mm dia.	Shade (1) Light Pink	+D805400001MF12
4000-01/MF2	Unbreakable™ by tcs®	Cartridge - Medium 28 mm dia.	Shade (2) Standard Pink	+D805400001MF22
4000-01/MF3	Unbreakable™ by tcs®	Cartridge - Medium 28 mm dia.	Shade (3) Light-Dark Pink	+D805400001MF32
4000-01/MF4	Unbreakable™ by tcs®	Cartridge - Medium 28 mm dia.	Shade (4) Dark Pink	+D805400001MF42

**NOT TO BE COPIED OR USED FOR DISTRIBUTION.**

The document you are viewing is a controlled document, and may contain confidential material. If any portion of this document is in hardcopy form, it must be considered and treated as an uncontrolled "For Information Only" copy, unless it is stamped in red "Controlled Copy - Uncontrolled if Not in Red". Users of this document must verify that they are using the most current revision of the controlled document before performing work.



Thermoplastic Comfort Systems, Inc.

TITLE: Declaration of Conformity - TCS Dental Resins - MDR

Page 3 of 9

Doc #: DOC-CE/MDR

Revision # : A

Effective Date: 01/16/2025

Item #	Resin	Bulk/Cartridge/Disc Size	Shade	UDI-DI
4000-01/MFN	Unbreakable™ by tcs®	Cartridge – Medium 28 mm dia.	Shade (N) Natural	+D805400001MFN2
4000-01/MF Custom	Unbreakable™ by tcs®	Cartridge – Medium 28 mm dia.	Custom	+D805400001MFCUS TOM2
4005-01/LF1	Unbreakable™ by tcs®	Cartridge – Large 28 mm dia.	Shade (1) Light Pink	+D805400501LF12
4005-01/LF2	Unbreakable™ by tcs®	Cartridge – Large 28 mm dia.	Shade (2) Standard Pink	+D805400501LF22
4005-01/LF3	Unbreakable™ by tcs®	Cartridge – Large 28 mm dia.	Shade (3) Light-Dark Pink	+D805400501LF32
4005-01/LF4	Unbreakable™ by tcs®	Cartridge – Large 28 mm dia.	Shade (4) Dark Pink	+D805400501LF42
4005-01/LFN	Unbreakable™ by tcs®	Cartridge – Large 28 mm dia.	Shade (N) Natural	+D805400501LFN2
4005-01/LF Custom	Unbreakable™ by tcs®	Cartridge – Large 28 mm dia.	Custom	+D805400501LFCUS TOM2
4005-01/M22-1	Unbreakable™ by tcs®	Cartridge – Medium 22 mm dia.	Shade (1) Light Pink	+D805400501M2212
4005-01/M22-2	Unbreakable™ by tcs®	Cartridge – Medium 22 mm dia.	Shade (2) Standard Pink	+D805400501M2222
4005-01/M22-3	Unbreakable™ by tcs®	Cartridge – Medium 22 mm dia.	Shade (3) Light-Dark Pink	+D805400501M2232
4005-01/M22-4	Unbreakable™ by tcs®	Cartridge – Medium 22 mm dia.	Shade (4) Dark Pink	+D805400501M2242
4005-01/M22-N	Unbreakable™ by tcs®	Cartridge – Medium 22 mm dia.	Shade (N) Natural	+D805400501M22N2
4005-01/M22 Custom	Unbreakable™ by tcs®	Cartridge – Medium 22 mm dia.	Custom	+D805400501M22C USTOM2
4005-01/L22-1	Unbreakable™ by tcs®	Cartridge – Large 22 mm dia.	Shade (1) Light Pink	+D805400501L2212
4005-01/L22-2	Unbreakable™ by tcs®	Cartridge – Large 22 mm dia.	Shade (2) Standard Pink	+D805400501L2222
4005-01/L22-3	Unbreakable™ by tcs®	Cartridge – Large 22 mm dia.	Shade (3) Light-Dark Pink	+D805400501L2232
4005-01/L22-4	Unbreakable™ by tcs®	Cartridge – Large 22 mm dia.	Shade (4) Dark Pink	+D805400501L2242
4005-01/L22-N	Unbreakable™ by tcs®	Cartridge – Large 22 mm dia.	Shade (N) Natural	+D805400501L22N2
4005-01/L22 Custom	Unbreakable™ by tcs®	Cartridge – Large 22 mm dia.	Custom	+D805400501L22CU STOM2
4003-01B/1-5	Unbreakable™ by tcs®	Bulk Weight .5 kg	Shade (1) Light Pink	+D805400301B150
4003-01B/2-5	Unbreakable™ by tcs®	Bulk Weight .5 kg	Shade (2) Standard Pink	+D805400301B250
4003-01B/3-5	Unbreakable™ by tcs®	Bulk Weight .5 kg	Shade (3) Light-Dark Pink	+D805400301B350
4003-01B/4-5	Unbreakable™ by tcs®	Bulk Weight .5 kg	Shade (4) Dark Pink	+D805400301B450
4003-01B/N-5	Unbreakable™ by tcs®	Bulk Weight .5 kg	Shade (N) Natural	+D805400301BN50
4003-01B/Custom-5	Unbreakable™ by tcs®	Bulk Weight .5 kg	Custom	+D805400301BCUST OM50
4003-01/B1	Unbreakable™ by tcs®	Bulk Weight 1 kg	Shade (1) Light Pink	+D805400301B10
4003-01/B2	Unbreakable™ by tcs®	Bulk Weight 1 kg	Shade (2) Standard Pink	+D805400301B20
4003-01/B3	Unbreakable™ by tcs®	Bulk Weight 1 kg	Shade (3) Light-Dark Pink	+D805400301B30
4003-01/B4	Unbreakable™ by tcs®	Bulk Weight 1 kg	Shade (4) Dark Pink	+D805400301B40

**NOT TO BE COPIED OR USED FOR DISTRIBUTION.**

The document you are viewing is a controlled document, and may contain confidential material. If any portion of this document is in hardcopy form, it must be considered and treated as an uncontrolled "For Information Only" copy, unless it is stamped in red "Controlled Copy – Uncontrolled if Not in Red". Users of this document must verify that they are using the most current revision of the controlled document before performing work.



Thermoplastic Comfort Systems, Inc.

TITLE: Declaration of Conformity - TCS Dental Resins - MDR

Page 4 of 9

Doc #: DOC-CE/MDR

Revision # : A

Effective Date: 01/16/2025

Item #	Resin	Bulk/Cartridge/Disc Size	Shade	UDI-DI
4003-01/BN	Unbreakable™ by tcs®	Bulk Weight 1 kg	Shade (N) Natural	+D805400301BN0
4003-01/B Custom	Unbreakable™ by tcs®	Bulk Weight 1 kg	Custom	+D805400301BCUST OM0
4003-01B/1X5	Unbreakable™ by tcs®	Bulk Weight 1 kg	Shade (1) Light Pink	+D805400301B1X50
4003-01B/2X5	Unbreakable™ by tcs®	Bulk Weight 5 kg	Shade (2) Standard Pink	+D805400301B2X50
4003-01B/3X5	Unbreakable™ by tcs®	Bulk Weight 5 kg	Shade (3) Light-Dark Pink	+D805400301B3X50
4003-01B/4X5	Unbreakable™ by tcs®	Bulk Weight 5 kg	Shade (4) Dark Pink	+D805400301B4X50
4003-01B/NX5	Unbreakable™ by tcs®	Bulk Weight 5 kg	Shade (N) Natural	+D805400301BNX50
4003-01B/CustomX5	Unbreakable™ by tcs®	Bulk Weight 5 kg	Custom	+D805400301BCUST OMX50
4003-01B/1X10	Unbreakable™ by tcs®	Bulk Weight 10 kg	Shade (1) Light Pink	+D805400301B1X10 0
4003-01B/2X10	Unbreakable™ by tcs®	Bulk Weight 10 kg	Shade (2) Standard Pink	+D805400301B2X10 0
4003-01B/3X10	Unbreakable™ by tcs®	Bulk Weight 10 kg	Shade (3) Light-Dark Pink	+D805400301B3X10 0
4003-01B/4X10	Unbreakable™ by tcs®	Bulk Weight 10 kg	Shade (4) Dark Pink	+D805400301B4X10 0
4003-01B/NX10	Unbreakable™ by tcs®	Bulk Weight 10 kg	Shade (N) Natural	+D805400301BNX10 0
4003-01B/CustomX10	Unbreakable™ by tcs®	Bulk Weight 10 kg	Custom	+D805400301BCUST OMX100
4000/D98x20-2	Unbreakable™ by tcs®	Disc – 98 mm x 20 mm	Shade (2) Standard Pink	+D8054000D982020
4000/D98x20-3	Unbreakable™ by tcs®	Disc – 98 mm x 20 mm	Shade (3) Light-Dark Pink	+D8054000D982030
4000/D98x20-N	Unbreakable™ by tcs®	Disc – 98 mm x 20 mm	Shade (N) Natural	+D8054000D9820N0
4000/D98x25-2	Unbreakable™ by tcs®	Disc – 98 mm x 25 mm	Shade (2) Standard Pink	+D8054000D982520
4000/D98x25-3	Unbreakable™ by tcs®	Disc – 98 mm x 25 mm	Shade (3) Light-Dark Pink	+D8054000D982530
4000/D98x25-N	Unbreakable™ by tcs®	Disc – 98 mm x 25 mm	Shade (N) Natural	+D8054000D9825N0
5002-01/S1	iFlex™ by tcs®	Cartridge – Small 25 mm dia	Shade (1) Light Pink	+D805500201S12
5002-01/S2	iFlex™ by tcs®	Cartridge – Small 25 mm dia	Shade (2) Standard Pink	+D805500201S22
5002-01/S3	iFlex™ by tcs®	Cartridge – Small 25 mm dia	Shade (3) Light-Dark Pink	+D805500201S32
5002-01/S4	iFlex™ by tcs®	Cartridge – Small 25 mm dia	Shade (4) Dark Pink	+D805500201S42
5002-01/SN	iFlex™ by tcs®	Cartridge – Small 25 mm dia	Shade (N) Natural	+D805500201SN2
5000-01/S Custom	iFlex™ by tcs®	Cartridge – Small 25 mm dia	Custom	+D805500001SCUST OM2
5000-01/M1	iFlex™ by tcs®	Cartridge – Medium 25 mm dia	Shade (1) Light Pink	+D805500001M12
5000-01/M2	iFlex™ by tcs®	Cartridge – Medium 25 mm dia	Shade (2) Standard Pink	+D805500001M22
5000-01/M3	iFlex™ by tcs®	Cartridge – Medium 25 mm dia	Shade (3) Light-Dark Pink	+D805500001M32
5000-01/M4	iFlex™ by tcs®	Cartridge – Medium 25 mm dia	Shade (4) Dark Pink	+D805500001M42

**NOT TO BE COPIED OR USED FOR DISTRIBUTION.**

The document you are viewing is a controlled document, and may contain confidential material. If any portion of this document is in hardcopy form, it must be considered and treated as an uncontrolled "For Information Only" copy, unless it is stamped in red "Controlled Copy – Uncontrolled if Not in Red". Users of this document must verify that they are using the most current revision of the controlled document before performing work.



Thermoplastic Comfort Systems, Inc.

TITLE: Declaration of Conformity - TCS Dental Resins - MDR

Page 5 of 9

Doc #: DOC-CE/MDR

Revision # : A

Effective Date: 01/16/2025

Item #	Resin	Bulk/Cartridge/Disc Size	Shade	UDI-DI
5000-01/MN	iFlex™ by tcs®	Cartridge – Medium 25 mm dia	Shade (N) Natural	+D805500001MN2
5000-01/M Custom	iFlex™ by tcs®	Cartridge – Medium 25 mm dia	Custom	+D805500001MCUS TOM2
5005-01/L1	iFlex™ by tcs®	Cartridge – Large 25 mm dia	Shade (1) Light Pink	+D805500501L12
5005-01/L2	iFlex™ by tcs®	Cartridge – Large 25 mm dia	Shade (2) Standard Pink	+D805500501L22
5005-01/L3	iFlex™ by tcs®	Cartridge – Large 25 mm dia	Shade (3) Light-Dark Pink	+D805500501L32
5005-01/L4	iFlex™ by tcs®	Cartridge – Large 25 mm dia	Shade (4) Dark Pink	+D805500501L42
5005-01/LN	iFlex™ by tcs®	Cartridge – Large 25 mm dia	Shade (N) Natural	+D805500501LN2
5005-01/L Custom	iFlex™ by tcs®	Cartridge – Large 25 mm dia	Custom	+D805500501LFCUS TOM2
5000-01/MF1	iFlex™ by tcs®	Cartridge – Medium 28 mm dia	Shade (1) Light Pink	+D805500001MF12
5000-01/MF2	iFlex™ by tcs®	Cartridge – Medium 28 mm dia	Shade (2) Standard Pink	+D805500001MF22
5000-01/MF3	iFlex™ by tcs®	Cartridge – Medium 28 mm dia	Shade (3) Light-Dark Pink	+D805500001MF32
5000-01/MF4	iFlex™ by tcs®	Cartridge – Medium 28 mm dia	Shade (4) Dark Pink	+D805500001MF42
5000-01/MFN	iFlex™ by tcs®	Cartridge – Medium 28 mm dia	Shade (N) Natural	+D805500001MFN2
5000-01/MF Custom	iFlex™ by tcs®	Cartridge – Medium 28 mm dia	Custom	+D805500001MFCUS TOM2
5005-01/LF1	iFlex™ by tcs®	Cartridge – Large 28 mm dia	Shade (1) Light Pink	+D805500501LF12
5005-01/LF2	iFlex™ by tcs®	Cartridge – Large 28 mm dia	Shade (2) Standard Pink	+D805500501LF22
5005-01/LF3	iFlex™ by tcs®	Cartridge – Large 28 mm dia	Shade (3) Light-Dark Pink	+D805500501LF32
5005-01/LF4	iFlex™ by tcs®	Cartridge – Large 28 mm dia	Shade (4) Dark Pink	+D805500501LF34
5005-01/LFN	iFlex™ by tcs®	Cartridge – Large 28 mm dia	Shade (N) Natural	+D805500501LFN2
5005-01/LF Custom	iFlex™ by tcs®	Cartridge – Large 28 mm dia	Custom	+D805500501LFCUS TOM2
5005-01/M22-1	iFlex™ by tcs®	Cartridge – Medium 22 mm dia	Shade (1) Light Pink	+D805500501M2212
5005-01/M22-2	iFlex™ by tcs®	Cartridge – Medium 22 mm dia	Shade (2) Standard Pink	+D805500501M2222
5005-01/M22-3	iFlex™ by tcs®	Cartridge – Medium 22 mm dia	Shade (3) Light-Dark Pink	+D805500501M2232
5005-01/M22-4	iFlex™ by tcs®	Cartridge – Medium 22 mm dia	Shade (4) Dark Pink	+D805500501M2242
5005-01/M22-N	iFlex™ by tcs®	Cartridge – Medium 22 mm dia	Shade (N) Natural	+D805500501M22N 2
5005-01/M22 Custom	iFlex™ by tcs®	Cartridge – Medium 22 mm dia	Custom	+D805500501M22C USTOM2
5005-01/L22-1	iFlex™ by tcs®	Cartridge – Large 22 mm dia	Shade (1) Light Pink	+D805500501L2212
5005-01/L22-2	iFlex™ by tcs®	Cartridge – Large 22 mm dia	Shade (2) Standard Pink	+D805500501L2222
5005-01/L22-3	iFlex™ by tcs®	Cartridge – Large 22 mm dia	Shade (3) Light-Dark Pink	+D805500501L2232
5005-01/L22-4	iFlex™ by tcs®	Cartridge – Large 22 mm dia	Shade (4) Dark Pink	+D805500501L2242
5005-01/L22-N	iFlex™ by tcs®	Cartridge – Large 22 mm dia	Shade (N) Natural	+D805500501L22N2
5005-01/L22 Custom	iFlex™ by tcs®	Cartridge – Large 22 mm dia	Custom	+D805500501L22CU STOM2

**NOT TO BE COPIED OR USED FOR DISTRIBUTION.**

The document you are viewing is a controlled document, and may contain confidential material. If any portion of this document is in hardcopy form, it must be considered and treated as an uncontrolled "For Information Only" copy, unless it is stamped in red "Controlled Copy – Uncontrolled if Not in Red". Users of this document must verify that they are using the most current revision of the controlled document before performing work.



Thermoplastic Comfort Systems, Inc.

TITLE: Declaration of Conformity - TCS Dental Resins - MDR

Page 6 of 9

Doc #: DOC-CE/MDR

Revision # : A

Effective Date: 01/16/2025

Item #	Resin	Bulk/Cartridge/Disc Size	Shade	UDI-DI
5003-01B/1-5	iFlex™ by tcs®	Bulk Weight .5 kg	Shade (1) Light Pink	+D805500301B150
5003-01B/2-5	iFlex™ by tcs®	Bulk Weight .5 kg	Shade (2) Standard Pink	+D805500301B250
5003-01B/3-5*	iFlex™ by tcs®	Bulk Weight .5 kg	Shade (3) Light-Dark Pink	+D805500301B350
5003-01B/4-5*	iFlex™ by tcs®	Bulk Weight .5 kg	Shade (4) Dark Pink	+D805500301B450
5003-01B/N-5*	iFlex™ by tcs®	Bulk Weight .5 kg	Shade (N) Natural	+D805500301BN50
5003-01B/Custom-.5	iFlex™ by tcs®	Bulk Weight .5 kg	Custom	+D805500301BCUST OM50
5003-01/B1	iFlex™ by tcs®	Bulk Weight 1 kg	Shade (1) Light Pink	+D805500301B10
5003-01/B2	iFlex™ by tcs®	Bulk Weight 1 kg	Shade (2) Standard Pink	+D805500301B20
5003-01/B3	iFlex™ by tcs®	Bulk Weight 1 kg	Shade (3) Light-Dark Pink	+D805500301B30
5003-01/B4	iFlex™ by tcs®	Bulk Weight 1 kg	Shade (4) Dark Pink	+D805500301B40
5003-01/BN	iFlex™ by tcs®	Bulk Weight 1 kg	Shade (N) Natural	+D805500301BN0
5003-01 /B Custom	iFlex™ by tcs®	Bulk Weight 1kg	Custom	+D805500301BCUST OM0
5003-01B/1X5	iFlex™ by tcs®	Bulk Weight 5 kg	Shade (1) Light Pink	+D805500301B1X50
5003-01B/2X5	iFlex™ by tcs®	Bulk Weight 5 kg	Shade (2) Standard Pink	+D805500301B2X50
5003-01B/3X5	iFlex™ by tcs®	Bulk Weight 5 kg	Shade (3) Light-Dark Pink	+D805500301B3X50
5003-01B/4X5	iFlex™ by tcs®	Bulk Weight 5 kg	Shade (4) Dark Pink	+D805500301B4X50
5003-01B/NX5	iFlex™ by tcs®	Bulk Weight 5kg	Shade (N) Natural	+D805500301BNX50
5003-01B/CustomX5	iFlex™ by tcs®	Bulk Weight 5 kg	Custom	+D805500301BCUST OMX50
5003-01B/1X10	iFlex™ by tcs®	Bulk Weight 10 kg	Shade (1) Light Pink	+D805500301B1X100
5003-01B/2X10	iFlex™ by tcs®	Bulk Weight 10 kg	Shade (2) Standard Pink	+D805500301B2X100
5003-01B/3X10	iFlex™ by tcs®	Bulk Weight 10 kg	Shade (3) Light-Dark Pink	+D805500301B3X100
5003-01B/4X10	iFlex™ by tcs®	Bulk Weight 10 kg	Shade (4) Dark Pink	+D805500301B4X100
5003-01B/NX10	iFlex™ by tcs®	Bulk Weight 10 kg	Shade (N) Natural	+D805500301BNX100
5003-01B/CustomX10	iFlex™ by tcs®	Bulk Weight 10 kg	Custom	+D805500301BCUST OMX100
5000/D98x20-2	iFlex™ by tcs®	Disc – 98 mm x 20 mm	Shade (2) Standard Pink	+D8055000D982020
5000/D98x20-3	iFlex™ by tcs®	Disc – 98 mm x 20 mm	Shade (3) Light-Dark Pink	+D8055000D982030
5000/D98x20-N	iFlex™ by tcs®	Disc – 98 mm x 20 mm	Shade (N) Natural	+D8055000D9820N0
5000/D98x25-2	iFlex™ by tcs®	Disc – 98 mm x 25 mm	Shade (2) Standard Pink	+D8055000D982520
5000/D98x25-3	iFlex™ by tcs®	Disc – 98 mm x 25 mm	Shade (3) Light-Dark Pink	+D8055000D982530
5000/D98x25-N	iFlex™ by tcs®	Disc – 98 mm x 25 mm	Shade (N) Natural	+D8055000D9825N0

**NOT TO BE COPIED OR USED FOR DISTRIBUTION.**

The document you are viewing is a controlled document, and may contain confidential material. If any portion of this document is in hardcopy form, it must be considered and treated as an uncontrolled "For Information Only" copy, unless it is stamped in red "Controlled Copy – Uncontrolled if Not in Red". Users of this document must verify that they are using the most current revision of the controlled document before performing work.





Thermoplastic Comfort Systems, Inc.

TITLE: Declaration of Conformity - TCS Dental Resins - MDR

Page 7 of 9

Doc #: DOC-CE/MDR

Revision # : A

Effective Date: 01/16/2025

Item #	Resin	Bulk/Cartridge/Disc Size	Shade	UDI-DI
2000-01/S1	Karadent™ by tcs®	Cartridge – Small 25 mm dia	Shade (1) Light Pink	+D805200001S12
2000-01/S2	Karadent™ by tcs®	Cartridge – Small 25 mm dia	Shade (2) Standard Pink	+D805200001S22
2000-01/S3	Karadent™ by tcs®	Cartridge – Small 25 mm dia	Shade (3) Light-Dark Pink	+D805200001S32
2000-01/S4	Karadent™ by tcs®	Cartridge – Small 25 mm dia	Shade (4) Dark Pink	+D805200001S42
2000-01/SN	Karadent™ by tcs®	Cartridge – Small 25 mm dia	Shade (N) Natural	+D805200001SN2
2000-01/S Custom	Karadent™ by tcs®	Cartridge – Small 25 mm dia	Custom	+D805200001SCUST OM2
2000-01/M1	Karadent™ by tcs®	Cartridge – Medium 25 mm dia	Shade (1) Light Pink	+D805200001M12
2000-01/M2	Karadent™ by tcs®	Cartridge – Medium 25 mm dia	Shade (2) Standard Pink	+D805200001M22
2000-01/M3	Karadent™ by tcs®	Cartridge – Medium 25 mm dia	Shade (3) Light-Dark Pink	+D805200001M32
2000-01/M4	Karadent™ by tcs®	Cartridge – Medium 25 mm dia	Shade (4) Dark Pink	+D805200001M42
2000-01/MN	Karadent™ by tcs®	Cartridge – Medium 25 mm dia	Shade (N) Natural	+D805200001MN2
2000-01/M Custom	Karadent™ by tcs®	Cartridge – Medium 25 mm dia	Custom	+D805200001MCUS TOM2
2005-01/L1	Karadent™ by tcs®	Cartridge – Large 25 mm dia	Shade (1) Light Pink	+D805200501L12
2005-01/L2	Karadent™ by tcs®	Cartridge – Large 25 mm dia	Shade (2) Standard Pink	+D805200501L22
2005-01/L3	Karadent™ by tcs®	Cartridge – Large 25 mm dia	Shade (3) Light-Dark Pink	+D805200501L32
2005-01/L4	Karadent™ by tcs®	Cartridge – Large 25 mm dia	Shade (4) Dark Pink	+D805200501L42
2005-01/LN	Karadent™ by tcs®	Cartridge – Large 25 mm dia	Shade (N) Natural	+D805200501LN2
2005-01/L Custom	Karadent™ by tcs®	Cartridge – Large 25 mm dia	Custom	+D805200001LCUST OM2
2000-01/MF1	Karadent™ by tcs®	Cartridge – Medium 28 mm dia	Shade (1) Light Pink	+D805200001MF12
2000-01/MF2	Karadent™ by tcs®	Cartridge – Medium 28 mm dia	Shade (2) Standard Pink	+D805200001MF22
2000-01/MF3	Karadent™ by tcs®	Cartridge – Medium 28 mm dia	Shade (3) Light-Dark Pink	+D805200001MF32
2000-01/MF4	Karadent™ by tcs®	Cartridge – Medium 28 mm dia	Shade (4) Dark Pink	+D805200001MF42
2000-01/MFN	Karadent™ by tcs®	Cartridge – Medium 28 mm dia	Shade (N) Natural	+D805200001MFN2
2000-01/MF Custom	Karadent™ by tcs®	Cartridge – Medium 28 mm dia	Custom	+D805200001MFCUS TOM2
2005-01/LF1	Karadent™ by tcs®	Cartridge – Large 28 mm dia	Shade (1) Light Pink	+D805200501LF12
2005-01/LF2	Karadent™ by tcs®	Cartridge – Large 28 mm dia	Shade (2) Standard Pink	+D805200501FL22
2005-01/LF3	Karadent™ by tcs®	Cartridge – Large 28 mm dia	Shade (3) Light-Dark Pink	+D805200501FL32
2005-01/LF4	Karadent™ by tcs®	Cartridge – Large 28 mm dia	Shade (4) Dark Pink	+D805200501FL42
2005-01/LFN	Karadent™ by tcs®	Cartridge – Large 28 mm dia	Shade (N) Natural	+D805200501FLN2
2005-01/LF Custom	Karadent™ by tcs®	Cartridge – Large 28 mm dia	Custom	+D805200001LFCUS TOM2
2005-01/M22-1	Karadent™ by tcs®	Cartridge – Medium 22 mm dia	Shade (1) Light Pink	+D805200501M2212

**NOT TO BE COPIED OR USED FOR DISTRIBUTION.**

The document you are viewing is a controlled document, and may contain confidential material. If any portion of this document is in hardcopy form, it must be considered and treated as an uncontrolled "For Information Only" copy, unless it is stamped in red "Controlled Copy – Uncontrolled if Not in Red". Users of this document must verify that they are using the most current revision of the controlled document before performing work.



Thermoplastic Comfort Systems, Inc.

TITLE: Declaration of Conformity - TCS Dental Resins - MDR

Page 8 of 9

Doc #: DOC-CE/MDR

Revision # : A

Effective Date: 01/16/2025

Item #	Resin	Bulk/Cartridge/Disc Size	Shade	UDI-DI
2005-01/M22-2	Karadent™ by tcs®	Cartridge – Medium 22 mm dia	Shade (2) Standard Pink	+D805200501M2222
2005-01/M22-3	Karadent™ by tcs®	Cartridge – Medium 22 mm dia	Shade (3) Light-Dark Pink	+D805200501M2232
2005-01/M22-4	Karadent™ by tcs®	Cartridge – Medium 22 mm dia	Shade (4) Dark Pink	+D805200501M2242
2005-01/M22-N	Karadent™ by tcs®	Cartridge – Medium 22 mm dia	Shade (N) Natural	+D805200501M22N2
2005-01/M22 Custom	Karadent™ by tcs®	Cartridge – Medium 22 mm dia	Custom	+D805200501M22CUSTOM2
2005-01/L22-1	Karadent™ by tcs®	Cartridge – Large 22 mm dia	Shade (1) Light Pink	+D805200501L2212
2005-01/L22-2	Karadent™ by tcs®	Cartridge – Large 22 mm dia	Shade (2) Standard Pink	+D805200501L2222
2005-01/L22-3	Karadent™ by tcs®	Cartridge – Large 22 mm dia	Shade (3) Light-Dark Pink	+D805200501L2232
2005-01/L22-4	Karadent™ by tcs®	Cartridge – Large 22 mm dia	Shade (4) Dark Pink	+D805200501L2242
2005-01/L22-N	Karadent™ by tcs®	Cartridge – Large 22 mm dia	Shade (N) Natural	+D805200501L22N2
2005-01/L22 Custom	Karadent™ by tcs®	Cartridge – Large 22 mm dia	Custom	+D805200501L22CUSTOM2
2003-01B/1-5	Karadent™ by tcs®	Bulk Weight .5 kg	Shade (1) Light Pink	+D805200301B150
2003-01B/2-5	Karadent™ by tcs®	Bulk Weight .5 kg	Shade (2) Standard Pink	+D805200301B250
2003-01B/3-5	Karadent™ by tcs®	Bulk Weight .5 kg	Shade (3) Light-Dark Pink	+D805200301B350
2003-01B/4-5	Karadent™ by tcs®	Bulk Weight .5 kg	Shade (4) Dark Pink	+D805200301B450
2003-01B/N-5	Karadent™ by tcs®	Bulk Weight .5 kg	Shade (N) Natural	+D805200301BN50
2003-01B/Custom-5	Karadent™ by tcs®	Bulk Weight .5 kg	Custom	+D805200301BCUSTOM50
2003-01/B1	Karadent™ by tcs®	Bulk Weight 1 kg	Shade (1) Light Pink	+D805200301B10
2003-01/B2	Karadent™ by tcs®	Bulk Weight 1 kg	Shade (2) Standard Pink	+D805200301B20
2003-01/B3	Karadent™ by tcs®	Bulk Weight 1 kg	Shade (3) Light-Dark Pink	+D805200301B30
2003-01/B4	Karadent™ by tcs®	Bulk Weight 1 kg	Shade (4) Dark Pink	+D805200301B40
2003-01/BN	Karadent™ by tcs®	Bulk Weight 1 kg	Shade (N) Natural	+D805200301BN0
2003-01/B Custom	Karadent™ by tcs®	Bulk Weight 1 kg	Custom	+D805200301BCUSTOM0
2003-01B/1X5	Karadent™ by tcs®	Bulk Weight 5 kg	Shade (1) Light Pink	+D805200301B1X50
2003-01B/2X5	Karadent™ by tcs®	Bulk Weight 5 kg	Shade (2) Standard Pink	+D805200301B2X50
2003-01B/3X5	Karadent™ by tcs®	Bulk Weight 5 kg	Shade (3) Light-Dark Pink	+D805200301B3X50
2003-01B/4X5	Karadent™ by tcs®	Bulk Weight 5 kg	Shade (4) Dark Pink	+D805200301B4X50
2003-01B/NX5	Karadent™ by tcs®	Bulk Weight 5kg	Shade (N) Natural	+D805200301BNX50
2003-01B/CustomX5	Karadent™ by tcs®	Bulk Weight 5 kg	Custom	+D805200301BCUSTOMX50
2003-01B/1X10	Karadent™ by tcs®	Bulk Weight 10 kg	Shade (1) Light Pink	+D805200301B1X100
2003-01B/2X10	Karadent™ by tcs®	Bulk Weight 10 kg	Shade (2) Standard Pink	+D805200301B2X100

**NOT TO BE COPIED OR USED FOR DISTRIBUTION.**

The document you are viewing is a controlled document, and may contain confidential material. If any portion of this document is in hardcopy form, it must be considered and treated as an uncontrolled "For Information Only" copy, unless it is stamped in red "Controlled Copy – Uncontrolled if Not in Red". Users of this document must verify that they are using the most current revision of the controlled document before performing work.





Thermoplastic Comfort Systems, Inc.

TITLE: Declaration of Conformity - TCS Dental Resins - MDR

Page 9 of 9

Doc #: DOC-CE/MDR

Revision # : A

Effective Date: 01/16/2025

Item #	Resin	Bulk/Cartridge/Disc Size	Shade	UDI-DI
2003-01B/3X10	Karadent™ by tcs®	Bulk Weight 10 kg	Shade (3) Light-Dark Pink	+D805200301B3X100
2003-01B/4X10	Karadent™ by tcs®	Bulk Weight 10 kg	Shade (4) Dark Pink	+D805200301B4X100
2003-01B/NX10	Karadent™ by tcs®	Bulk Weight 10 kg	Shade (N) Natural	+D805200301BNX100
2003-01B/CustomX10	Karadent™ by tcs®	Bulk Weight 10 kg	Custom	+D805200301BCUSTOMX100

**NOT TO BE COPIED OR USED FOR DISTRIBUTION.**

The document you are viewing is a controlled document, and may contain confidential material. If any portion of this document is in hardcopy form, it must be considered and treated as an uncontrolled "For Information Only" copy, unless it is stamped in red "Controlled Copy – Uncontrolled if Not in Red". Users of this document must verify that they are using the most current revision of the controlled document before performing work.